高级商用门控逃生五金系统 COMMERCIAL EXIT DOOR HARDWARE

产品功能:

单机数显型:xxxA-DE 在线12V供电,不联网上传数据,只实现授权开关功能及报警功能;配置控制器使用

联机数显型: xxxB-DE 在线12V供电, 联网上传数据, 远程查看

单机报警型: 无代码, F801/806

自动回舌型: xxx-ELR 在线12V供电

联机报警型: xxxA 在线12V供电,不联网上传数据,有输入和输出型号,配控制器使用

在线反馈型:无代码,F802/F808,不用在线供电,只输出信号;

Standalone digital display: xxxA-DE; Line 12V power supply, not online uploading data, only realize authorized switch function and alarm function; Configure controller usage

On-line digital phenotypeL: xxxB-DE; Online 12V power supply, Internet upload data, remote view

Single alarm type: There is no code, F801/806

Automatic tongue return type: xxx-ELR; Online 12V power supply

On line alarm type: xxxA; On-line 12V power supply, not online upload data, have input and

output models, with a controller for use

Online feedback type: There is no code, F802/F808, No online power supply, only output signal

订货型号规格为The ordering model and specification are: FXXX-XXX-XXX-XXX

功能描述Function: REX 监控推把Handle, Request to exit/LM 监控斜舌Latchbolt/ALM

监控辅助舌Auxiliary latch/KO 监控钥匙开门Key override

锁扣配件

